

INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

C-O-N-F-I-D-E-N-T-I-A-L

COUNTRY China

REPORT

SUBJECT Chinese Communist Brochures

DATE DISTR. 9 May 1960

NO. PAGES

REFERENCES

RD

DATE OF INFO.

PLACE & DATE ACQ.

SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE.

brochures

are UNCLASSIFIED when detached

from this report.

C-O-N-F-I-D-E-N-T-I-A-L

LIBRARY FILE COPY
DO NOT DESTROY

STATE	ARMY	NAVY	AIR	FBI	AEC				
(Note: Washington distribution indicated by "X"; field distribution by "#")									

INFORMATION REPORT INFORMATION REPORT

25X1


25X1

25X1

25X1

25X1

25X1




石
明
星

中國礦產公司廣西僮族自治區公司

地址：中國廣西南寧市濟南路104號 電報掛號“3635”

梧州支公司

地址：中國廣西梧州市石鼓路45號 電報掛號“4349”



Baume

CHINA NATIONAL MINERALS CORPORATION, KWANGSI BRANCH.

ADDRESS: 104 TSINAN ROAD, NANNING, KWANGSI, CHINA.

CABLE ADDRESS: "CNMCKB" NANNING.

WUCHOW OFFICE

ADDRESS: 45 SHIHQUO ROAD, WUCHOW, KWANGSI, CHINA.

CABLE ADDRESS: "CNMCKBWO" WUCHOW.

Barite is abundantly produced in Kwangsi Province of this country. It is of excellent quality, white in colour, with high percentage of Barium Sulphate and least impurities. It is the most ideal raw material for petroleum-well drilling muds, and used as filler material for paper, enamel, paint industries etc. It is the constituent raw material in the manufacture of Barium compounds, such as Lithopone, Barium Chloride, Barium oxide which are extensively used in rubber, and glass industries etc. Owing to its long-established reputation in the world, consumers of various countries choose to use it in their manufactories. Our ample stock of Barite ensures long-term supply to the consumers.

The principal grades of Barite handled by this corporation are introduced as below:

BARITE IN LUMP

Origin: Shihlung, Kwangsi.
 Specifications: (1) BaSO_4 95% min.
 (2) BaSO_4 97% min.
 Packing: In bulk or in bamboo baskets of about 100 kilos net each.

BARITE IN POWDER

Origin: Shihlung, Kwangsi.
 Specifications: Analysis same as Barite in lumps,
 200 mesh 98% permeability
 325 mesh 98% permeability
 Packing: In cloth bags of about 25 kilos net each.

我公司經營的重晶石，系中國廣西所產，品質極佳，不但顏色潔白，雜質極微，而且含有高度硫酸鋇，為鑽探油井用泥漿，提煉鋇及造紙，油漆、搪瓷工業的最理想的原料，並應用於製造鋇化合物等的化學工業上，如鋅鋇白、氧化鋇、氯化鋇等已為橡膠、玻璃等工業廣泛應用，由於中國重晶石譽滿全球，各國廠商久已樂於採用，本公司貨源充沛可以保證長期供應。



茲將重晶石塊、粉規格介紹如下：

重 晶 石

產地：石 龍
 規格：(1) 含硫酸鋇 95% 以上
 (2) 含硫酸鋇 97% 以上
 包裝：散裝或竹簍裝

重 晶 石 粉

產地：石 龍
 規格：200 細目 98% 通過
 325 細目 98% 通過
 成份與重晶石相同
 包裝：布袋裝，每袋淨重約 25 公斤。



中國雜品出口公司
CHINA NATIONAL SUNDRIES EXPORT CORPORATION

A. For bulbs below 200 watts.
B. For bulbs of 200 & 300 watts.
C. For bulbs of 400 & 500 watts.
All sizes within the range of 15-300 watts can be fitted with either bayonet or screw caps if required.



WHA TEH

WHA TEH LAMPS (Electric bulbs).

The "Wha Teh" Electric Bulbs undergo rigid inspection during the process of manufacture. The filament is uniform in length and even in tension with high illuminating power and low current consumption as their special features. The average life of a "Wha Teh" bulb is 1,000 hours at the rated voltage.

STANDARD VOLTAGE: 110V or 220V

Watts	Vacuum or Gas-filled	Lumens Approx.		Average Life Hours	Dimension (mm)		P A C K I N G								
							Pcs. to a carton	Cartons and Pcs. to a wooden case		Measurements of wooden case			Volume of wooden case (cu. ft)	Weight (kg)	
		220V	110V	L.	Diam.	Cartons		Pcs.	L.	W.	H.	Gross		Net	
15	V.	100	115	1,000	96	54	25	20	500	28"	28"	25"	11.35	44	23
25	V.	180	210	1,000	106	57	25	20	500	28"	28"	25"	11.35	44	23
40	V.	290	360	1,000	113	60	25	20	500	28"	28"	25"	11.35	44	23
60	G.	540	595	1,000	121	64	25	20	500	29"	29"	27"	13.15	49	26
75	G.	712	787	1,000	128	70	25	8	200	32"	25"	17"	7.88	29	13
100	G.	1,000	1,250	1,000	141	75	25	8	200	33"	26"	18"	8.94	31	14
200	G.	2,560	2,900	1,000	183	91	25	4	100	33"	21"	21"	8.43	28	11
500	G.	7,500	8,200	1,000	275	127	12		50	35"	24"	24"	11.67	34	14

BULBS OF 150 AND 300 WATTS ARE ALSO AVAILABLE.



FLUORESCENT TUBE

Of the same kind of light, fluorescent tube provides a light cozier and mellower than ordinary lamps it is no doubt that it serves to-day as a favourite means of lighting.

The "Electrician" Fluorescent Tube is valued for its high efficiency and agreeable luminous effect, it gives you a cozy and cheerful atmosphere in low current consumption. So it is widely in demand in all places where an elaborate illumination is required.

TECHNICAL DATA OF "ELECTRICAN" TUBE

Con- sumption (watt)	Length (mm)	Diameter (mm)	Current (amp)	Voltage (volt)	Optimum Voltage (volt)	Colour	Average Life Hours
20	610=24"	38	0.36	59	110 or 220	Day-light, White, Green, Yellow.	2,000
40	1220=48"	38	0.42	106	110 or 220	Day-light, White, Green, Yellow.	2,000

PACKING

Specifica- tion	Contents per case (pc)	Measurements of case (in)	Volume of case (cu. ft)	Weight (kg)	
				Gross	Net
24"	50	29×20×11	3.70	23	11
48"	50	53×20×11	6.75	37	20


CHINA NATIONAL SUNDRIES EXPORT CORPORATION

Head Office: 32 (A) Chiu Tiao Hutung, East City, Peking, China
Cable Address: "SUNDRY" Peking

Shanghai Branch: 27 Chung Shan Road E1, Shanghai, China
Cable Address: "SUNDRY" Shanghai

Electrician

Fluorescent Tubes



25X1

Electrician

Fluorescent Tubes



FLUORESCENT TUBE

Of the same kind of light, fluorescent tube provides a light cozier and mellower than ordinary lamps it is no doubt that it serves to-day as a favourite means of lighting.

The "Electrician" Fluorescent Tube is valued for its high efficiency and agreeable luminous effect, it gives you a cozy and cheerful atmosphere in low current consumption. So it is widely in demand in all places where an elaborate illumination is required.

TECHNICAL DATA OF "ELECTRICIAN" TUBE

Con- sumption (watt)	Length (mm)	Diameter (mm)	Current (amp)	Voltage (volt)	Optimum Voltage (volt)	Colour	Average Life Hours
20	610=24"	38	0.36	59	110 or 220	Day-light, White, Green, Yellow.	2,000
40	1220=48"	38	0.42	106	110 or 220	Day-light, White, Green, Yellow.	2,000

PACKING

Specifica- tion	Contents per case (pc)	Measurements of case (in)	Volume of case (cu. ft)	Weight (kg)	
				Gross	Net
24"	50	29×20×11	3.70	23	11
48"	50	53×20×11	6.75	37	20

CHINA NATIONAL SUNDRIES EXPORT CORPORATION

Head Office: 32 (A) Chiu Tiao Hutung, East City, Peking, China
Cable Address: "SUNDRY" Peking

Shanghai Branch: 27 Chung Shan Road E1, Shanghai, China
Cable Address: "SUNDRY" Shanghai

中國雜品出口公司上海分公司

China National Sundries Export Corporation
SHANGHAI BRANCH

25X1

Cable Address
"SUNDRY"Specializing in: Cotton Piece Goods & Cotton Yarn; Towels, Bedsheets & other
Cotton Goods; Sewing Machines, Bicycles & Household Commodities; Electric Goods
and fittings; Hardware & Building Materials; Paper & Boards and Stationery27 Chung Shan Road (E.I.)
Shanghai, China.

Date: 195

Quotations of Electric Goods

(No. Eg-1.)

Commodity	Specification	Unit	CIFW European Main Port.
Electric Bulbs 110V or 220V	15W-40W Bayonet Type	100 P'cs	
	60W " "	100 "	
	75W " "	100 "	
	100W " "	100 "	
	200W " "	100 "	
	500W Screw Type	100 "	
Electric Colour Bulbs 110V or 220V	Red 15W Bayonet Type	100 P'cs,	
	Yellow 15W " "	100 "	
	Blue 15W " "	100 "	
	Green 15W " "	100 "	
	Opal 15W " "	100 "	
"WAHSON BRAND" Electric Fans 110V or 220V A. C. Single Phase, 50 Cycles	12" Desk Fan	Piece	L6-6-6
	16" " "	"	L7-1-0
	36" Ceiling Fan	"	L9-0 -9
	56" " "	"	L13-4-9 less 10%
Fluorescent Tubes	48" 40W	100 P'cs	
	24" 20W	100 "	
Fluorescent Tube Starters	40W or 20W	144 P'cs	
Fluorescent Tube Ballast 110V or 220V	40W or 20W	Piece	
Bakelite Fluorescent Tube Holders with Starter Sockets	250V 3 Amp.	Dozen Sets (per set of 3 pcs)	
Porcelain Fuse Box	500V 10Amp.	Dozen P'cs	
	500V 15Amp.	Dozen P'cs	

Payment: By Irrevocable Letter of Credit with clause "TT Reimbursement against presentation of shipping document" "Partial shipment and Transshipment are allowed."

Shipment: Within one month after receipt of Irrevocable Letter of Credit.

Insurance: For CandF term, insurance to be covered by Buyer; for CIF term, insurance only covers WPA & WAR, excluding TPND and other Risks. If other Risks are required, the additional premium will be for Buyer's account.

Packing: In wooden case, as per list attached.

THE ABOVE QUOTED PRICES ARE SUBJECT TO OUR CABLE CONFIRMATION.

4 LUMINIUMWARE

Catalogue

說 明

1. 中國鋁器是最理想的烹飪器皿,它既輕巧靈便,又經久耐用,而傳熱率高和色澤光潔,均非其他金屬器皿所可比及。
2. 中國的鋁器產品,均係採用上等鋁錠,軋片鑄型,精工製造,出廠前,經過嚴格檢驗挑剔,保證品質良好,經久耐用,而價格又極合理。
3. 要保持鋁器的良好傳熱率與光潔美觀,必須經常注意勿使鍋壺底部緊靠灼紅煤炭,或將食物菜餚久貯在鋁器內過夜,每次用畢,必須洗淨擦乾,以保持其光潔與導熱性。
4. 如鋁鍋等被烟火煙黑,可用抹布塗些肥皂或用去污粉輕擦即光亮如常。

INTRODUCTION

1. Chinese aluminiumware is the most ideal cooking utensil. It is light and durable in quality and easy in operation, possessing a high degree of heat conductivity and sleekness in appearance. All these features are unsurpassed by any other metalware.
2. It is manufactured with the finest workmanship from aluminium ingots of superior quality, forged and moulded by compression. It is also subjected to strict inspection to ensure quality before its delivery from the factory. It is sold at very reasonable price.
3. In order to maintain its high conductivity of heat and sleekness in appearance, it is recommended not to place the bottom of the utensil too close to the burning coal. It is neither permissible to allow food to remain in the utensil overnight in order to avoid deterioration, and it must be cleaned every time after using.
4. In case it has been darkened by smoke it should be washed in hot soapy water or cleaned with cleansing powder, so that it will show its brightness as ever before.

目 錄

	頁 數
高鍋,砂鍋.....	(一)
光復鍋,菊花鍋,淺底鍋	(二)
提環蒸鍋,雙格蒸鍋,蒸格	(三)
調羹,牛奶鍋,茶壺	(四)
單層菜格食籃,雙層菜格食籃.....	(五)
三格食籃,四格食籃.....	(六)
飯盒與菜盒,繫用食籃.....	(七)
漏斗,水桶.....	(八)
油煎盤,飯匙,粥匙,糖鏟.....	(九)
鏟刀,鋁柄湯杓,木柄湯杓,漏杓.....	(十)
染色皂盒,牙刷盒.....	(十一)
染色,凸花,雙色綢盒	(十二)

INDEX

Page No.

Heavy Cooking Pots, Cooking Pots	1
Economical Size Cooking Pots, Flat Cooking Pots, Shallow Bottom Cooking Pots	2
Steamer with bail handle, Double-section Steamer, Steaming Sections	3
Spoons, Milk Pots, Tea Kettles	4
Single-section Luncheon Carrier, Double-section Lunchcon Carrier	5
Tri-section Luncheon Carrier, Quadru-section Luncheon Carrier... ..	6
Luncheon Boxes with tray, Multi-use Luncheon Carrier	7
Funnels, Pail	8
Frying Pans, Rice Ladles, Porridge Ladles, Sugar Scoops	9
Cooking Turners, Soup Ladles with aluminium handle, Soup Ladles with wooden grip, Strainer	10
Coloured Soap Boxes, Coloured Tooth Brush Holder	11
Coloured Cigarette Case, Embossed Cigarette Case, Bi-coloured Cigarette Case	12

高 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	10.2	0.65	0.65	2.00	299
18	11.4	0.71	0.65	2.90	370
20	12.7	0.81	0.71	4.10	468
22	14.0	0.81	0.71	5.35	544
24	15.2	0.88	0.81	6.85	695
26	16.5	0.88	0.81	8.60	774

成套規格： 有 16/20, 18/22, 22/26 公分，均每三只為一套
16/26 公分六只為一套。


包裝規格： 16/26 公分六只套，每 18 套裝一木箱，木箱尺碼
24.42 立方英尺。

砂 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	9.8	0.46	0.46	1.85	204
18	10.8	0.50	0.46	2.55	245
20	11.7	0.55	0.46	3.40	288
22	12.7	0.55	0.50	4.55	318
24	13.7	0.60	0.50	5.70	423
26	14.6	0.60	0.50	7.00	466

成套規格： 16/20, 18/22, 22/26 公分，均三只為一套，16/26
公分六只為一套。


包裝規格： 16/26 公分六只套，每 24 套裝一木箱，木箱尺碼
15.82 立方英尺。

HEAVY COOKING POT


Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	10.2	0.65	0.65	2.00	299
18	11.4	0.71	0.65	2.90	370
20	12.7	0.81	0.71	4.10	468
22	14.0	0.81	0.71	5.35	544
24	15.2	0.88	0.81	6.85	695
26	16.5	0.88	0.81	8.60	774

Specification: Available in set of 3 pcs. or 6 pcs. the former measuring diametrically 16/20 cm., 18/22 cm., or 22/26 cm., the latter 16/26 cm.

Packing: For 6 pcs. set packed in 18 sets per wooden case, having a volume of 24.42 cu. ft.

COOKING POT


Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	9.8	0.46	0.46	1.85	204
18	10.8	0.50	0.46	2.55	245
20	11.7	0.55	0.46	3.40	288
22	12.7	0.55	0.50	4.55	318
24	13.7	0.60	0.50	5.70	423
26	14.6	0.60	0.50	7.00	466

Specification: Available in set of 3 pcs. or 6 pcs. the former measuring diametrically 16/20 cm., 18/22 cm., or 22/26 cm., the latter 16/26 cm.

Packing: For 6 pcs. set packed in 24 sets per wooden case, having a volume of 15.82 cu. ft.

光 復 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
15.5	8.2	0.55	0.50		
18.5	9.5	0.60	0.55	2.25	307
21.5	10.8	0.60	0.55	3.40	369
24.5	12.1	0.65	0.60	5.00	424
27.5	13.4	0.65	0.60		

成套規格： 15.5/21.5, 18.5/24.5 公分 均三只為一套, 15.5/
27.5 公分 五只為一套。

菊 花 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	6.8	0.46	0.46	1.25	185
18	7.4	0.50	0.46	1.90	220
20	8.0	0.50	0.46	2.40	260

裝箱規格： 16/20 公分三只為一套, 每 24 套裝一木箱, 箱尺碼
11.76 立方英尺。


淺 底 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	5.0	0.45	0.40	0.84	109
18	5.7	0.45	0.40	1.28	129
20	6.4	0.50	0.45	1.75	173
22	7.1	0.50	0.45	2.40	213
24	7.8	0.50	0.50	3.10	271

ECONOMICAL SIZE COOKING POT

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
15.5	8.2	0.55	0.50		
18.5	9.5	0.60	0.55	2.25	307
21.5	10.8	0.60	0.55	3.40	369
24.5	12.1	0.65	0.60	5.00	424
27.5	13.4	0.65	0.60		


Specification: Available in set of 3 pcs. or 5 pcs. the former measuring diametrically 15.5/21.5 cm., or 18.5/24.5 cm., the latter 15.5/27.5 cm.

**FLAT COOKING POT**

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	6.8	0.46	0.46	1.25	185
18	7.4	0.50	0.46	1.90	220
20	8.0	0.50	0.46	2.40	260


Specification: Available in set of 3 pcs. measuring diametrically 16/20 cm.

Packing: 24 sets to a wooden case, having a volume of 11.76 cu. ft.

**SHALLOW BOTTOM COOKING POT**

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	5.0	0.45	0.40	0.84	109
18	5.7	0.45	0.40	1.28	129
20	6.4	0.50	0.45	1.75	173
22	7.1	0.50	0.45	2.40	213
24	7.8	0.50	0.50	3.10	271





STEAMER WITH BAIL HANDLE

Dia. (cm)	Height (cm)	Thickness (mm)	Capacity (litre)	Net Weight (gm)
20	17.5	0.60	5.10	470
22	18.5	0.65	6.65	566
24	20.5	0.75	8.60	784

Specification: Available in set of 3 pcs. measuring diametrically 20/24 cm., packed in 36 sets per wooden case, having a volume of 25.80 cu. ft.

DOUBLE-SECTION STEAMER

(suitable for both cooking and steaming)




Dia. (cm)	Height (cm)	Thickness (mm)	Capacity (litre)	Net Weight (gm)
18.5	19	0.90	3.00	724

Packing: 3 dozen to a wooden case, volume 22.24 cu. ft.

STEAMING SECTION

(to be fitted to the pot with corresponding diameter)



Diameter (cm)	Depth (cm)	Thickness (mm)	Net Weight (gm)
16	7.7	0.60	207
18	8.5	0.60	228
20	8.8	0.65	280
22	9.6	0.70	315
24	10.0	0.75	420
26	10.0	0.80	430

調羹

貨 號	長 度 (公分)	寬 度 (公分)	每 打 淨 重 (公分)
47	18.2	4.0	263
48	16.9	3.7	178
49	15.4	3.4	150
50	14.0	3.0	122

牛 奶 鍋

上 口 直 徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
14.5	7.5	0.55	0.46	1.50	125
12.5	6.5	0.50	0.46	0.75	115
10.5	5.5	0.46	0.46	0.50	82

包裝規格： 14.5 公分牛奶鍋，每 30 打裝一木箱，箱尺碼 14.12 立方英尺 12.5 公分牛奶鍋，40 打裝一木箱，箱尺碼 12.43 立方英尺 10.5 公分牛奶鍋，每 40 打裝一木箱，箱尺碼 9.89 立方英尺。


木柄裝卸方便，便於收藏貯運。

茶 壺


壺底直徑 (公分)	壺身厚度 (公厘)	容 量 (公升)	淨 重 (公分)	包 裝 規 格	
				每 箱 數 量 (打)	木 箱 尺 碼 (立方英尺)
16	0.80	1.9	302	5	20.00
18	0.90	2.4	387	5	22.00
20	1.00	3.2	508	5	24.36
22	1.10	4.3	647	4	27.32
24	1.26	6.1	822	4	39.80

S P O O N

Art. No.	Length (cm)	Width (cm)	Net weight per dozen (gm)
47	18.2	4.0	263
48	16.9	3.7	178
49	15.4	3.4	150
50	14.0	3.0	122


**M I L K P O T**

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
14.5	7.5	0.55	0.46	1.50	125
12.5	6.5	0.50	0.46	0.75	115
10.5	5.5	0.46	0.46	0.50	82




Packing: For those 14.5 in diameter, 30 dozen to a wooden case, volume 14.12 cu. ft. those 12.5 in diameter, 40 dozen to a case, volume 12.43 cu. ft. those 10.5 in diameter, 40 dozen to a case, volume 9.89 cu. ft.

Wooden Handle detachable, convenient for packing.

**T E A K E T T L E**

Bottom Dia. (cm)	Body Thickness (mm)	Capacity (litre)	Net Weight (gm)	Packing	
				Contents per case (dozen)	Volume of case (cu. ft.)
16	0.80	1.9	302	5	20.00
18	0.90	2.4	387	5	22.00
20	1.00	3.2	508	5	24.36
22	1.10	4.3	647	4	27.32
24	1.26	6.1	822	4	39.80



單 層 菜 格 食 籃

項 目	底格口徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	全只淨重 (公分)	總 高 度 (公分)
底 格	14	11.2	0.60	1.70	370	28
菜 格		4.2	0.55	0.60		

包裝規格： 每五打裝一木箱，箱尺寸為 16.2 立方英尺。

雙 層 菜 格 食 籃

底格口徑 (公分)	總 高 度 (公分)	全 只 淨 重 (公分)	規 格
14	31.5	409	底格，菜格的其他規格均同於單層食籃，僅增加菜格一層，提環放長。

包裝規格： 每五打裝一木箱，箱尺寸為 19.4 立方英尺。



SINGLE-SECTION LUNCHEON CARRIER

Item	Bottom Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Total Net Weight (gm)	Total Height (gm)
Carrier (itself)	14	11.2	0.60	1.70	} 370	28
Section (added)		4.2	0.55	0.60		


Packing: 5 dozen to a wooden case, volume 16.2 cu. ft.



DOUBLE-SECTION LUNCHEON CARRIER

Bottom Dia. (cm)	Total Height (cm)	Total Net Weight (gm)	Specification
14	31.5	409	Being as same as that of the Single Section Luncheon Carrier, the only difference is that it has an additional section as well as a lengthened bail.

Packing: 5 dozen to a wooden case, volume 19.4 cu. ft.



5

三 格 食 籃

項 目	底格口徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	全只淨重 (公分)	總 高 度 (公分)
底 格	14	8.4	0.55	1.35	} 495	32
菜 格		6.4	0.50	0.95		

包裝規格： 每五打裝一木箱，箱尺寸為 22.6 立方英尺。

四 格 食 籃

規 格： 底格直徑 14 公分

總高度 37.5 公分

全只淨重 603 公分


其他規格均同於三格食籃，惟增加菜格一層，
提環放長。

包裝規格： 每箱裝五打，木箱尺寸為 25.8 立方英尺。

TRI-SECTION LUNCHEON CARRIER

Item	Bottom Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Total Net Weight (gm)	Total Height (cm)
Carrier (itself)	14	8.4	0.55	1.35	495	32
Section (added)		6.4	0.50	0.95		

Packing: 5 dozen to a wooden case, volume 22.6 cu. ft.

**QUADRU-SECTION LUNCHEON CARRIER**

Specification:


Bottom Diameter: 14 cm.

Total Height: 37.5 cm.

Total Net Weight: 603 gm.

(The other items of specification being same as those of the Tri-Section ones with only difference in having one more section)

Packing: 5 dozen to a wooden case, having a volume of 25.8 cu. ft.



飯 盒 與 菜 盒

項 目	一 號 飯 盒	二 號 飯 盒	菜 盒
對 徑 (公分)	18.8×11.7	16.5×11.7	11.8×7.8
深 度 (公分)	5.5	5.2	3.5
厚 度 (公厘) { 盒 底 盒 蓋	0.65 0.60	0.60 0.55	0.50 0.46
容 量 (公升)	1.0	8.3	0.30
淨 重 (公分)	150	121	45

包裝規格： 1 號及 2 號飯盒、24 打裝一木箱，箱尺寸為 12.50 立方英尺。


飯盒附有菜格，儲量較少。菜盒可專備攜帶副食品用。

繁 用 食 籃

項 目	底格口徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	每只淨重 (公分)	總 高 度 (公分)
底 格	14	11.9	0.70	1.95	506	28.5
湯 格		4.2	0.60	0.60		

包裝規格： 每五打裝一木箱，箱尺寸為 23.7 立方英尺。


本品除有湯格外，在底格內另備菜格，並於底格上備有可以裝卸的鉄柄把手，兼供燒煮食物。



LUNCHEON BOX WITH TRAY

Item	No. 1 Luncheon Box	No. 2 Luncheon Box	Tray
Size (cm):	18.8×11.7	16.5×11.7	11.8×7.8
Depth (cm):	5.5	5.2	3.5
Thickness (mm) { Bottom: Cover:	0.65 0.60	0.60 0.55	0.50 0.46
Capacity (litre):	1.0	8.3	0.30
Net Weight (gm):	150	121	45

Packing: For both No. 1 and 2 Luncheon Boxes 24 dozen to a wooden case, having a volume of 12.5 cu. ft.
(Those Luncheon Boxes each with a tray will hold less quantity of rice, yet the tray can hold, instead, other foodstuff)




MULTI-USE LUNCHEON CARRIER

Item	Bottom Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Total N. Wt (gm)	Total Height (cm)
Carrier (itself)	14	11.9	0.70	1.95	506	28.5
Soup Section (added)		4.2	0.60	0.60		

Packing: 5 dozen to a wooden case, volume 23.7 cu. ft.

(Apart from Soup Section, this type of carrier provided also with Food Trays as well as a detachable handle designed for cooking purpose).



漏 斗


貨 號	高 度 (公分)	直 徑 (公分)	淨 重 (公分)
41	10.6	11.0	110
42	9.0	9.2	72
43	7.0	8.2	48

水 桶


上口直徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	淨 重 (公分)
30	23.3	0.90	12.7	945

F U N N E L

Art. No.	Height (cm)	Diameter (cm)	Net Weight (gm)
41	10.6	11.0	110
42	9.0	9.2	72
43	7.0	8.2	48

**P A I L**

Top Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Net Weight (gm)
30	23.3	0.90	12.7	945



油 煎 盤

貨 號	口 徑 (公分)	深 度 (公分)	淨 重 (公分)
52	28	4.2	625
53	26	4.0	547
54	24	4.0	398
55	22	3.8	375
56	20	3.5	313
57	18	2.8	215
58	16	2.5	188

飯 匙

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
32	19.5	7.3	43
34	23.2	7.3	57
37	23.5	8.5	86
38	24.2	8.4	81


粥 匙

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
35	26.2	8.8	74
36	19.0	6.8	43


糖 鏟

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
44	28.5	10.0	161
45	22.4	7.9	92
46	18.4	6.8	50


(九)

FRYING PAN


Art. No.	Diameter (cm)	Depth (cm)	Net Weight (gm)
52	28	4.2	625
53	26	4.0	547
54	24	4.0	398
55	22	3.8	375
56	20	3.5	313
57	18	2.8	215
58	16	2.5	188

RICE LADLE

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
32	19.5	7.3	43
34	23.2	7.3	57
37	23.5	8.5	86
38	24.2	8.4	81

PORRIDGE LADLE

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
35	26.2	8.8	74
36	19.0	6.8	43

SUGAR SCOOP

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
44	28.5	10.0	161
45	22.4	7.9	92
46	18.4	6.8	50

鑊 刀

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
21	31.5	8.8	72
22	28.0	7.9	48
23	34.5	9.7	120
26	33.2	8.9	89
27	31.0	8.0	70

鋁 柄 湯 杓

貨 號	長 度(公分)	寬 度(公分)	容 量(公升)	淨 重(公分)
11	35.0	10.8	0.250	151
12	30.5	8.9	0.130	78
13	19.5	5.5	0.110	25
20	29.6	8.3	0.025	62

木 柄 湯 杓

貨 號	長 度(公分)	寬 度(公分)	容 量(公升)	淨 重(公分)
14	36.2	10.8	0.250	152
15	34.3	9.7	0.175	104
16	32.7	9.0	0.125	85
19	30.5	8.3	0.100	80


漏 杓

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
14	36.2	10.8	148


(+)

COOKING TURNER


Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
21	31.5	8.8	72
22	28.0	7.9	48
23	34.5	9.7	120
26	33.2	8.9	89
27	31.0	8.0	70

**SOUP LADLE WITH ALUMINIUM HANDLE**


Art. No.	Length (cm)	Width (cm)	Capacity (litre)	Net Weight (gm)
11	35.0	10.8	0.250	151
12	30.5	8.9	0.130	78
13	19.5	5.5	0.110	25
20	29.6	8.3	0.025	62

**SOUP LADLE WITH WOODEN GRIP**

Art. No.	Length (cm)	Width (cm)	Capacity (litre)	Net Weight (gm)
14	36.2	10.8	0.250	152
15	34.3	9.7	0.175	104
16	32.7	9.0	0.125	85
19	30.5	8.3	0.100	80

**STRAINER**

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
14	36.2	10.8	148



染 色 皂 盒

品 種	厚 度 (公厘)	蓋 長 (公分)	蓋 闊 (公分)	深 度 (公分)		淨 重 (公分)
				蓋	底	
甲	0.51	9.5	7.2	1.3	2.7	30
乙	0.41	9.5	7.0	2.0	2.1	25

包裝規格： 每 100 打裝一木箱，木箱尺寸約為 11.44 立方英尺。

本品外部均經電化染色、顏色有紅、綠、黃、藍、桃紅、青蓮等，均極美觀，又防腐蝕，盒裏面噴漆或不噴漆。

染 色 牙 刷 盒

蓋 長 (公分)	蓋 闊 (公分)	厚 度 (公厘)	淨 重 (公分)
18.2	2.5	0.41	18

本品每 100 打裝一木箱，木箱尺寸約為 4.52 立方英尺。

本品外部經電化染色、顏色有紅、綠、黃、藍等多種，內部噴漆。



COLOURED SOAP BOX

Kind	Thickness (mm)	Length of cover (cm)	Width of cover (cm)	Thickness (mm)		Total Weight (gm)
				Cover	Bottom	
A	0.51	9.5	7.2	1.3	2.7	30
B	0.41	9.5	7.0	2.0	2.1	25

Packing: 100 dozen to a wooden case, volume 11.44 cu. ft.

(Surface of each Soap Box finished in different colours such as red, green, yellow, blue, pink, or violet by an electrolytic process, corrosion-resistant in property, the interior sprayed with or without paint).



COLOURED TOOTH BRUSH HOLDER

Length of cover (cm)	Width of cover (cm)	Thickness (mm)	Net Weight (gm)
18.2	2.5	0.41	18

Packing: 100 dozen to a wooden case, volume 4.52 cu. ft.

(Finishing for this commodity being same as that for Coloured Soap Box).

染 色 烟 盒

長 度 (公分)	闊 度 (公分)	厚 度 (公厘)	淨 重 (公分)
11	7.7	0.46	31

本品每 100 打裝一木箱,箱的尺寸約為 11.65 立方英尺。
盒的外部經電化染色,并冲有各種花紋。

凸 花 烟 盒

長 度 (公分)	闊 度 (公分)	厚 度 (公厘)	淨 重 (公分)
9.5	7.8	0.46	25

烟盒蓋上冲有十二生肖圖案,富有民族風味。
本品每 100 打裝一木箱,木箱尺寸約為 9.9 立方英尺。

雙 色 烟 盒


長 度 (公分)	闊 度 (公分)	厚 度 (公厘)	淨 重 (公分)
11	7.7	0.46	31

銀色盒坯上鑲以各種顏色,并刻有花紋,美觀悅目。
本品每 100 打裝一木箱,箱的尺寸約為 11.16 立方英尺。

COLOURED CIGARETTE CASE

Length (cm)	Width (cm)	Thickness (mm)	Net Weight (gm)
11	7.7	0.46	31

Packing: 100 dozen to a wooden case, volume 11.65 cu. ft.
(Surfaces of these boxes being finished in different colours by an electrolytic process and embossed in different designs).

**EMBOSSSED CIGARETTE CASE**

Length (cm)	Width (cm)	Thickness (mm)	Net Weight (gm)
9.5	7.8	0.46	25

Embossed in zoodical designs.


Packing: 100 dozen to a wooden case, volume 9.9 cu. ft.

**DOUBLE COLOURED CIGARETTE CASE**

Length (cm)	Width (cm)	Thickness (mm)	Net Weight (gm)
11	7.7	0.46	31

Silvery ground matched with other colours and embossed designs.

Packing: 100 dozen to a wooden case, volume 11.16 cu. ft.



CHINA NATIONAL SUNDRIES EXPORT CORPORATION

HEAD OFFICE: 32 (A) CHIU TIAO HUTUNG, EAST CITY, PEKING, CHINA
CABLE ADDRESS: "SUNDRY" PEKING

SHANGHAI BRANCH: 27 CHUNG SHAN ROAD E1, SHANGHAI, CHINA
CABLE ADDRESS: "SUNDRY" SHANGHAI

25X1

ALUMINIUMWARE

Catalogue

說 明

1. 中國鋁器是最理想的烹飪器皿,它既輕巧靈便,又經久耐用,而傳熱率高和色澤光潔,均非其他金屬器皿所可比及。
2. 中國的鋁器產品,均係採用上等鋁錠,軋片鑄型,精工製造,出廠前,經過嚴格檢驗挑剔,保證品質良好,經久耐用,而價格又極合理。
3. 要保持鋁器的良好傳熱率與光潔美觀,必須經常注意勿使鍋壺底部緊靠灼紅煤炭,或將食物菜餚久貯在鋁器內過夜,每次用畢,必須洗淨擦乾,以保持其光潔與導熱性。
4. 如鋁鍋等被烟火煙黑,可用抹布塗些肥皂或用去污粉輕擦即光亮如常。

INTRODUCTION

1. Chinese aluminiumware is the most ideal cooking utensil. It is light and durable in quality and easy in operation, possessing a high degree of heat conductivity and sleekness in appearance. All these features are unsurpassed by any other metalware.
2. It is manufactured with the finest workmanship from aluminium ingots of superior quality, forged and moulded by compression. It is also subjected to strict inspection to ensure quality before its delivery from the factory. It is sold at very reasonable price.
3. In order to maintain its high conductivity of heat and sleekness in appearance, it is recommended not to place the bottom of the utensil too close to the burning coal. It is neither permissible to allow food to remain in the utensil overnight in order to avoid deterioration, and it must be cleaned every time after using.
4. In case it has been darkened by smoke it should be washed in hot soapy water or cleaned with cleansing powder, so that it will show its brightness as ever before.

目 錄

	頁 數
高鍋,砂鍋.....	(一)
光復鍋,菊花鍋,淺底鍋	(二)
提環蒸鍋,雙格蒸鍋,蒸格	(三)
調羹,牛奶鍋,茶壺	(四)
單層菜格食籃,雙層菜格食籃.....	(五)
三格食籃,四格食籃.....	(六)
飯盒與菜盒,餐用食籃.....	(七)
漏斗,水桶.....	(八)
油煎盤,飯匙,粥匙,糖鏟.....	(九)
鏟刀,鋁柄湯杓,木柄湯杓,漏杓.....	(十)
染色皂盒,牙刷盒.....	(十一)
染色,凸花,雙色烟盒	(十二)

INDEX

	Page No.
Heavy Cooking Pots, Cooking Pots	1
Economical Size Cooking Pots, Flat Cooking Pots, Shallow Bottom Cooking Pots	2
Steamer with bail handle, Double-section Steamer, Steaming Sections	3
Spoons, Milk Pots, Tea Kettles	4
Single-section Luncheon Carrier, Double-section Lunchcon Carrier	5
Tri-section Luncheon Carrier, Quadru-section Luncheon Carrier... ..	6
Luncheon Boxes with tray, Multi-use Luncheon Carrier	7
Funnels, Pail	8
Frying Pans, Rice Ladles, Porridge Ladles, Sugar Scoops	9
Cooking Turners, Soup Ladles with aluminium handle, Soup Ladles with wooden grip, Strainer	10
Coloured Soap Boxes, Coloured Tooth Brush Holder	11
Coloured Cigarette Case, Embossed Cigarette Case, Bi-coloured Cigarette Case	12

高 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	10.2	0.65	0.65	2.00	299
18	11.4	0.71	0.65	2.90	370
20	12.7	0.81	0.71	4.10	468
22	14.0	0.81	0.71	5.35	544
24	15.2	0.88	0.81	6.85	695
26	16.5	0.88	0.81	8.60	774

成套規格： 有 16/20, 18/22, 22/26 公分，均每三只為一套
16/26 公分六只為一套。

包裝規格： 16/26 公分六只套，每 18 套裝一木箱，木箱尺碼
24.42 立方英尺。


砂 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	9.8	0.46	0.46	1.85	204
18	10.8	0.50	0.46	2.55	245
20	11.7	0.55	0.46	3.40	288
22	12.7	0.55	0.50	4.55	318
24	13.7	0.60	0.50	5.70	423
26	14.6	0.60	0.50	7.00	466

成套規格： 16/20, 18/22, 22/26 公分，均三只為一套，16/26
公分六只為一套。

包裝規格： 16/26 公分六只套，每 24 套裝一木箱，木箱尺碼
15.82 立方英尺。

HEAVY COOKING POT




Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	10.2	0.65	0.65	2.00	299
18	11.4	0.71	0.65	2.90	370
20	12.7	0.81	0.71	4.10	468
22	14.0	0.81	0.71	5.35	544
24	15.2	0.88	0.81	6.85	695
26	16.5	0.88	0.81	8.60	774

Specification: Available in set of 3 pcs. or 6 pcs. the former measuring diametrically 16/20 cm., 18/22 cm., or 22/26 cm., the latter 16/26 cm.

Packing: For 6 pcs. set packed in 18 sets per wooden case, having a volume of 24.42 cu. ft.

COOKING POT



Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	9.8	0.46	0.46	1.85	204
18	10.8	0.50	0.46	2.55	245
20	11.7	0.55	0.46	3.40	288
22	12.7	0.55	0.50	4.55	318
24	13.7	0.60	0.50	5.70	423
26	14.6	0.60	0.50	7.00	466

Specification: Available in set of 3 pcs. or 6 pcs. the former measuring diametrically 16/20 cm., 18/22 cm., or 22/26 cm., the latter 16/26 cm.

Packing: For 6 pcs. set packed in 24 sets per wooden case, having a volume of 15.82 cu. ft.

光 復 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
15.5	8.2	0.55	0.50		
18.5	9.5	0.60	0.55	2.25	307
21.5	10.8	0.60	0.55	3.40	369
24.5	12.1	0.65	0.60	5.00	424
27.5	13.4	0.65	0.60		

成套規格： 15.5/21.5, 18.5/24.5 公分 均三只為一套, 15.5/
27.5 公分 五只為一套。

菊 花 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	6.8	0.46	0.46	1.25	185
18	7.4	0.50	0.46	1.90	220
20	8.0	0.50	0.46	2.40	260

裝箱規格： 16/20 公分三只為一套, 每 24 套裝一木箱, 箱尺碼
11.76 立方英尺。


淺 底 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
16	5.0	0.45	0.40	0.84	109
18	5.7	0.45	0.40	1.28	129
20	6.4	0.50	0.45	1.75	173
22	7.1	0.50	0.45	2.40	213
24	7.8	0.50	0.50	3.10	271

ECONOMICAL SIZE COOKING POT

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
15.5	8.2	0.55	0.50		
18.5	9.5	0.60	0.55	2.25	307
21.5	10.8	0.60	0.55	3.40	369
24.5	12.1	0.65	0.60	5.00	424
27.5	13.4	0.65	0.60		


Specification: Available in set of 3 pcs. or 5 pcs. the former measuring diametrically 15.5/21.5 cm., or 18.5/24.5 cm., the latter 15.5/27.5 cm.

**FLAT COOKING POT**


Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	6.8	0.46	0.46	1.25	185
18	7.4	0.50	0.46	1.90	220
20	8.0	0.50	0.46	2.40	260

Specification: Available in set of 3 pcs. measuring diametrically 16/20 cm.

Packing: 24 sets to a wooden case, having a volume of 11.76 cu. ft.

**SHALLOW BOTTOM COOKING POT**

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
16	5.0	0.45	0.40	0.84	109
18	5.7	0.45	0.40	1.28	129
20	6.4	0.50	0.45	1.75	173
22	7.1	0.50	0.45	2.40	213
24	7.8	0.50	0.50	3.10	271



提 環 蒸 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)	容 量 (公升)	淨 重 (公分)
20	17.5	0.60	5.10	470
22	18.5	0.65	6.65	566
24	20.5	0.75	8.60	784

裝箱規格： 20/24 公分三只為一套，每 36 套裝一木箱，箱尺寸
為 25.80 立方英尺。

雙 格 蒸 鍋

蒸煮食物可以同時使用

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)	容 量 (公升)	淨 重 (公分)
18.5	19	0.90	3.00	724


包裝規格： 3 打裝一木箱，箱尺碼 22.24 立方英尺。

蒸 格

可配在同口徑的鍋上，同時蒸煮食物

上 口 直 徑 (公分)	深 度 (公分)	厚 度 (公厘)	淨 重 (公分)
16	7.7	0.60	207
18	8.5	0.60	228
20	8.8	0.65	280
22	9.6	0.70	315
24	10.0	0.75	420
26	10.0	0.80	430

(三)



STEAMER WITH BAIL HANDLE

Dia. (cm)	Height (cm)	Thickness (mm)	Capacity (litre)	Net Weight (gm)
20	17.5	0.60	5.10	470
22	18.5	0.65	6.65	566
24	20.5	0.75	8.60	784

Specification: Available in set of 3 pcs. measuring diametrically 20/24 cm., packed in 36 sets per wooden case, having a volume of 25.80 cu. ft.

DOUBLE-SECTION STEAMER

(suitable for both cooking and steaming)




Dia. (cm)	Height (cm)	Thickness (mm)	Capacity (litre)	Net Weight (gm)
18.5	19	0.90	3.00	724

Packing: 3 dozen to a wooden case, volume 22.24 cu. ft.

STEAMING SECTION

(to be fitted to the pot with corresponding diameter)



Diameter (cm)	Depth (cm)	Thickness (mm)	Net Weight (gm)
16	7.7	0.60	207
18	8.5	0.60	228
20	8.8	0.65	280
22	9.6	0.70	315
24	10.0	0.75	420
26	10.0	0.80	430

調 羹

貨 號	長 度 (公分)	寬 度 (公分)	每 打 淨 重 (公分)
47	18.2	4.0	263
48	16.9	3.7	178
49	15.4	3.4	150
50	14.0	3.0	122

牛 奶 鍋

上口直徑 (公分)	身 高 (公分)	厚 度 (公厘)		容 量 (公升)	淨 重 (公分)
		鍋 身	鍋 蓋		
14.5	7.5	0.55	0.46	1.50	125
12.5	6.5	0.50	0.46	0.75	115
10.5	5.5	0.46	0.46	0.50	82

包裝規格： 14.5 公分牛奶鍋，每 30 打裝一木箱，箱尺碼 14.12 立方英尺 12.5 公分牛奶鍋，40 打裝一木箱，箱尺碼 12.43 立方英尺 10.5 公分牛奶鍋，每 40 打裝一木箱，箱尺碼 9.89 立方英尺。


木柄裝卸方便，便於收藏貯運。

茶 壺


壺底直徑 (公分)	壺身厚度 (公厘)	容 量 (公升)	淨 重 (公分)	包 裝 規 格	
				每箱數量 (打)	木箱尺碼 (立方英尺)
16	0.80	1.9	302	5	20.00
18	0.90	2.4	387	5	22.00
20	1.00	3.2	508	5	24.36
22	1.10	4.3	647	4	27.32
24	1.26	6.1	822	4	39.80

S P O O N

Art. No.	Length (cm)	Width (cm)	Net weight per dozen (gm)
47	18.2	4.0	263
48	16.9	3.7	178
49	15.4	3.4	150
50	14.0	3.0	122


**M I L K P O T**

Dia. (cm)	Height (cm)	Thickness (mm)		Capacity (litre)	Net Weight (gm)
		Body	Lid		
14.5	7.5	0.55	0.46	1.50	125
12.5	6.5	0.50	0.46	0.75	115
10.5	5.5	0.46	0.46	0.50	82




Packing: For those 14.5 in diameter, 30 dozen to a wooden case, volume 14.12 cu. ft. those 12.5 in diameter, 40 dozen to a case, volume 12.43 cu. ft. those 10.5 in diameter, 40 dozen to a case, volume 9.89 cu. ft.

Wooden Handle detachable, convenient for packing.

**T E A K E T T L E**

Bottom Dia. (cm)	Body Thickness (mm)	Capacity (litre)	Net Weight (gm)	Packing	
				Contents per case (dozen)	Volume of case (cu. ft.)
16	0.80	1.9	302	5	20.00
18	0.90	2.4	387	5	22.00
20	1.00	3.2	508	5	24.36
22	1.10	4.3	647	4	27.32
24	1.26	6.1	822	4	39.80



單 層 菜 格 食 籃

項 目	底格口徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	全只淨重 (公分)	總 高 度 (公分)
底 格	14	11.2	0.60	1.70	} 370	28
菜 格		4.2	0.55	0.60		

包裝規格： 每五打裝一木箱，箱尺寸為 16.2 立方英尺。

雙 層 菜 格 食 籃

底格口徑 (公分)	總 高 度 (公分)	全 只 淨 重 (公分)	規 格
14	31.5	409	底格，菜格的其他規格均同於單層食籃，僅增加菜格一層，提環放長。

包裝規格： 每五打裝一木箱，箱尺寸為 19.4 立方英尺。



SINGLE-SECTION LUNCHEON CARRIER

Item	Bottom Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Total Net Weight (gm)	Total Height (gm)
Carrier (itself)	14	11.2	0.60	1.70	370	28
Section (added)		4.2	0.55	0.60		


Packing: 5 dozen to a wooden case, volume 16.2 cu. ft.



DOUBLE-SECTION LUNCHEON CARRIER

Bottom Dia. (cm)	Total Height (cm)	Total Net Weight (gm)	Specification
14	31.5	409	Being as same as that of the Single Section Luncheon Carrier, the only difference is that it has an additional section as well as a lengthened bail.

Packing: 5 dozen to a wooden case, volume 19.4 cu. ft.



三 格 食 籃

項 目	底格口徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	全只淨重 (公分)	總 高 度 (公分)
底 格	14	8.4	0.55	1.35	} 495	32
菜 格		6.4	0.50	0.95		

包裝規格： 每五打裝一木箱，箱尺寸為 22.6 立方英尺。

四 格 食 籃

規 格： 底格直徑 14 公分

總高度 37.5 公分

全只淨重 603 公分


其他規格均同於三格食籃，惟增加菜格一層，
提環放長。

包裝規格： 每箱裝五打，木箱尺寸為 25.8 立方英尺。

TRI-SECTION LUNCHEON CARRIER

Item	Bottom Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Total Net Weight (gm)	Total Height (cm)
Carrier (itself)	14	8.4	0.55	1.35	495	32
Section (added)		6.4	0.50	0.95		

Packing: 5 dozen to a wooden case, volume 22.6 cu. ft.

**QUADRU-SECTION LUNCHEON CARRIER**

Specification:


Bottom Diameter: 14 cm.

Total Height: 37.5 cm.

Total Net Weight: 603 gm.

(The other items of specification being same as those of the Tri-Section ones with only difference in having one more section)

Packing: 5 dozen to a wooden case, having a volume of 25.8 cu. ft.



飯 盒 與 菜 盒

項 目	一 號 飯 盒	二 號 飯 盒	菜 盒
對 程 (公分)	18.8×11.7	16.5×11.7	11.8×7.8
深 度 (公分)	5.5	5.2	3.5
厚 度 (公厘) { 盒 底 盒 蓋	0.65 0.60	0.60 0.55	0.50 0.46
容 量 (公升)	1.0	8.3	0.30
淨 重 (公分)	150	121	45

包裝規格： 1 號及 2 號飯盒，24 打裝一木箱，箱尺寸為 12.50 立方英尺。

飯盒附有菜格，儲量較少。菜盒可專備攜帶副食品用。

繁 用 食 籃

項 目	底格口徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	每只淨重 (公分)	總 高 度 (公分)
底 格	14	11.9	0.70	1.95	506	28.5
湯 格		4.2	0.60	0.60		

包裝規格： 每五打裝一木箱，箱尺寸為 23.7 立方英尺。


本品除有湯格外，在底格內另備菜格，並於底格上備有可以裝卸的鉄柄把手，兼供燒煮食物。



LUNCHEON BOX WITH TRAY

Item	No. 1 Luncheon Box	No. 2 Luncheon Box	Tray
Size (cm):	18.8 × 11.7	16.5 × 11.7	11.8 × 7.8
Depth (cm):	5.5	5.2	3.5
Thickness (mm) { Bottom: Cover:	0.65 0.60	0.60 0.55	0.50 0.46
Capacity (litre):	1.0	8.3	0.30
Net Weight (gm):	150	121	45

Packing: For both No. 1 and 2 Luncheon Boxes 24 dozen to a wooden case, having a volume of 12.5 cu. ft.
(Those Luncheon Boxes each with a tray will hold less quantity of rice, yet the tray can hold, instead, other foodstuff)





MULTI-USE LUNCHEON CARRIER

Item	Bottom Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Total N. Wt (gm)	Total Height (cm)
Carrier (itself)	14	11.9	0.70	1.95	506	28.5
Soup Section (added)		4.2	0.60	0.60		

Packing: 5 dozen to a wooden case, volume 23.7 cu. ft.

(Apart from Soup Section, this type of carrier provided also with Food Trays as well as a detachable handle designed for cooking purpose).



漏 斗


貨 號	高 度 (公分)	直 徑 (公分)	淨 重 (公分)
41	10.6	11.0	110
42	9.0	9.2	72
43	7.0	8.2	48

水 桶


上口直徑 (公分)	深 度 (公分)	厚 度 (公厘)	容 量 (公升)	淨 重 (公分)
30	23.3	0.90	12.7	945

F U N N E L

Art. No.	Height (cm)	Diameter (cm)	Net Weight (gm)
41	10.6	11.0	110
42	9.0	9.2	72
43	7.0	8.2	48

**P A I L**

Top Dia. (cm)	Depth (cm)	Thickness (mm)	Capacity (litre)	Net Weight (gm)
30	23.3	0.90	12.7	945



油 煎 盤

貨 號	口 徑 (公分)	深 度 (公分)	淨 重 (公分)
52	28	4.2	625
53	26	4.0	547
54	24	4.0	398
55	22	3.8	375
56	20	3.5	313
57	18	2.8	215
58	16	2.5	188

飯 匙

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
32	19.5	7.3	43
34	23.2	7.3	57
37	23.5	8.5	86
38	24.2	8.4	81


粥 匙

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
35	26.2	8.8	74
36	19.0	6.8	43


糖 鏟

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
44	28.5	10.0	161
45	22.4	7.9	92
46	18.4	6.8	50

(九)

**FRYING PAN**

Art. No.	Diameter (cm)	Depth (cm)	Net Weight (gm)
52	28	4.2	625
53	26	4.0	547
54	24	4.0	398
55	22	3.8	375
56	20	3.5	313
57	18	2.8	215
58	16	2.5	188

**RICE LADLE**


Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
32	19.5	7.3	43
34	23.2	7.3	57
37	23.5	8.5	86
38	24.2	8.4	81

**PORRIDGE LADLE**

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
35	26.2	8.8	74
36	19.0	6.8	43

**SUGAR SCOOP**

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
44	28.5	10.0	161
45	22.4	7.9	92
46	18.4	6.8	50



鏟 刀

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
21	31.5	8.8	72
22	28.0	7.9	48
23	34.5	9.7	120
26	33.2	8.9	89
27	31.0	8.0	70

鋁 柄 湯 杓

貨 號	長 度 (公分)	寬 度 (公分)	容 量 (公升)	淨 重 (公分)
11	35.0	10.8	0.250	151
12	30.5	8.9	0.130	78
13	19.5	5.5	0.110	25
20	29.6	8.3	0.025	62

木 柄 湯 杓

貨 號	長 度 (公分)	寬 度 (公分)	容 量 (公升)	淨 重 (公分)
14	36.2	10.8	0.250	152
15	34.3	9.7	0.175	104
16	32.7	9.0	0.125	85
19	30.5	8.3	0.100	80


漏 杓

貨 號	長 度 (公分)	寬 度 (公分)	淨 重 (公分)
18	36.2	10.8	148


(十)

COOKING TURNER


Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
21	31.5	8.8	72
22	28.0	7.9	48
23	34.5	9.7	120
26	33.2	8.9	89
27	31.0	8.0	70

**SOUP LADLE WITH ALUMINIUM HANDLE**


Art. No.	Length (cm)	Width (cm)	Capacity (litre)	Net Weight (gm)
11	35.0	10.8	0.250	151
12	30.5	8.9	0.130	78
13	19.5	5.5	0.110	25
20	29.6	8.3	0.025	62

**SOUP LADLE WITH WOODEN GRIP**

Art. No.	Length (cm)	Width (cm)	Capacity (litre)	Net Weight (gm)
14	36.2	10.8	0.250	152
15	34.3	9.7	0.175	104
16	32.7	9.0	0.125	85
19	30.5	8.3	0.100	80

**STRAINER**

Art. No.	Length (cm)	Width (cm)	Net Weight (gm)
14	36.2	10.8	148



染 色 皂 盒

品 種	厚 度 (公厘)	蓋 長 (公分)	蓋 闊 (公分)	深 度 (公分)		淨 重 (公分)
				蓋	底	
甲	0.51	9.5	7.2	1.3	2.7	30
乙	0.41	9.5	7.0	2.0	2.1	25

包裝規格： 每 100 打裝一木箱，木箱尺寸約為 11.44 立方英尺。




本品外部均經電化染色、顏色有紅、綠、黃、藍、桃紅、青蓮等，均極美觀，又防腐蝕，盒裏面噴漆或不噴漆。

染 色 牙 刷 盒

蓋 長 (公分)	蓋 闊 (公分)	厚 度 (公厘)	淨 重 (公分)
18.2	2.5	0.41	18

本品每 100 打裝一木箱，木箱尺寸約為 4.52 立方英尺。

本品外部經電化染色，顏色有紅、綠、黃、藍等多種，內部噴漆。



COLOURED SOAP BOX

Kind	Thickness (mm)	Length of cover (cm)	Width of cover (cm)	Thickness (mm)		Total Weight (gm)
				Cover	Bottom	
A	0.51	9.5	7.2	1.3	2.7	30
B	0.41	9.5	7.0	2.0	2.1	25

Packing: 100 dozen to a wooden case, volume 11.44 cu. ft.


(Surface of each Soap Box finished in different colours such as red, green, yellow, blue, pink, or violet by an electrolytic process, corrosion-resistant in property, the interior sprayed with or without paint).

COLOURED TOOTH BRUSH HOLDER

Length of cover (cm)	Width of cover (cm)	Thickness (mm)	Net Weight (gm)
18.2	2.5	0.41	18

Packing: 100 dozen to a wooden case, volume 4.52 cu. ft.

(Finishing for this commodity being same as that for Coloured Soap Box).



染色烟盒

長度(公分)	闊度(公分)	厚度(公厘)	淨重(公分)
11	7.7	0.46	31

本品每 100 打裝一木箱,箱的尺寸約為 11.65 立方英尺。
盒的外部經電化染色,并冲有各種花紋。

凸花烟盒

長度(公分)	闊度(公分)	厚度(公厘)	淨重(公分)
9.5	7.8	0.46	25

烟盒蓋上冲有十二生肖圖案,富有民族風味。
本品每 100 打裝一木箱,木箱尺寸約為 9.9 立方英尺。

雙色烟盒


長度(公分)	闊度(公分)	厚度(公厘)	淨重(公分)
11	7.7	0.46	31

銀色盒坯上鑲以各種顏色,并刻有花紋,美觀悅目。
本品每 100 打裝一木箱,箱的尺寸約為 11.16 立方英尺。

COLOURED CIGARETTE CASE

Length (cm)	Width (cm)	Thickness (mm)	Net Weight (gm)
11	7.7	0.46	31

Packing: 100 dozen to a wooden case, volume 11.65 cu. ft.
(Surfaces of these boxes being finished in different colours by an electrolytic process and embossed in different designs).

**EMBOSSSED CIGARETTE CASE**

Length (cm)	Width (cm)	Thickness (mm)	Net Weight (gm)
9.5	7.8	0.46	25

Embossed in zoodical designs.


Packing: 100 dozen to a wooden case, volume 9.9 cu. ft.

**DOUBLE COLOURED CIGARETTE CASE**

Length (cm)	Width (cm)	Thickness (mm)	Net Weight (gm)
11	7.7	0.46	31

Silvery ground matched with other colours and embossed designs.

Packing: 100 dozen to a wooden case, volume 11.16 cu. ft.



CHINA NATIONAL SUNDRIES EXPORT CORPORATION

HEAD OFFICE: 32 (A) CHIU TIAO HUTUNG, EAST CITY, PEKING, CHINA
CABLE ADDRESS: "SUNDRY" PEKING

SHANGHAI BRANCH: 27 CHUNG SHAN ROAD E1, SHANGHAI, CHINA
CABLE ADDRESS: "SUNDRY" SHANGHAI

Sanitized Copy Approved for Release 2010/05/19 : CIA-RDP80T00246A054000140001-6

廣西礦產

25X1

KWANGSI MINERALS
Catalogue

CHINA
NATIONAL MINERALS CORPORATION
KWANGSI BRANCH

Sanitized Copy Approved for Release 2010/05/19 : CIA-RDP80T00246A054000140001-6

目 錄 CONTENTS

軟 錳 粉	Pyrolusite In Powder (Manganese Dioxide Powder) ...	Page 1
軟 錳 砂	Pyrolusite In Lump (Manganese Dioxide Lump) ...	2
硬 錳 砂	Manganese Ore ...	3
錒 砂	Antimony Ore ...	4
煉 錒	Antimony Regulus ...	5
硫 化 錒	Antimony Trisulphide ...	6
硫 化 錒 粉	Antimony Trisulphide In Powder ...	7
生 鐵	Pig Iron ...	8
鈦 鐵 礦	Ilmenite ...	9
重 晶 石	Barite ...	10
重 晶 石 粉	Barite In Powder ...	11
磷 石	Fluorspar ...	12

磷	石	粉	Fluorspar In Powder	13
滑	石	塊	Talc In Lump	14
滑	石	粉	Talc In Powder	15
石		英	Quartz	16
石	英	粉	Quartz In Powder	17
方	解	石	Calcite	18
方	解	石	米	Calcite In Grain	19
方	解	石	粉	Calcite In Powder	20
石		米	Stone Grains	21
水	磨	白	石	粉	White Stone Powder	22
熟	石	灰	粉	Hydrated Lime Powder	23
團	灰	(生石灰)	Lime In Lump	24
黃	色	土	Yellow Mineral Colours	25
紅	色	土(紅鐵氧)	Red Mineral Colours (Iron Oxide Red)	26
瓷		土	Porcelain Clay	27

Sanitized Copy Approved for Release 2010/05/19 : CIA-RDP80T00246A054000140001-6

[illegible]

軟 錳 粉

產地：廣西。

規格：(1)含二氧化錳85%以上,鐵1.5%以下。
(2)含二氧化錳80%以上,鐵 2%以下。
(3)含二氧化錳75%以上,鐵 3%以下。
(4)含二氧化錳70%以上,鐵3.5%以下。
80, 120, 200, 325, 細目98%通過。

包裝：內布袋外麻袋,每袋約100公斤。

用途：主要用於製造電池,並可作為製造火柴,錳化合物的原料,油漆乾燥劑,陶瓷和玻璃着色等。

PYROLUSITE IN POWDER (MANGANESE DIOXIDE POWDER)

Origin: Kwangsi.

Specifications: (1) MnO_2 85% min. Fe 1.5% max.
(2) MnO_2 80% min. Fe 2% max.
(3) MnO_2 75% min. Fe 3% max.
(4) MnO_2 70% min. Fe 3.5% max.
80, 120, 200 and 325 mesh 98% through.

Packing: In cloth bags with outer gunny bags of about 100 kilos net each.

Uses Manufacture of dry batteries, driers for paints and varnishes; colouring agent in ceramics and as a decolorizer in glass making; raw material for manufacturing matches and manganese compounds.

軟 錳 砂

產地：廣西。

規格：(1)含二氧化錳85%以上,鐵 1.5%以下。
(2)含二氧化錳80%以上,鐵 2%以下。
(3)含二氧化錳75%以上,鐵 3%以下。
(4)含二氧化錳70%以上,鐵 3.5%以下。
(5)含二氧化錳65%以上,鐵3.85%以下。

包裝：散裝或蔴袋包裝。

用途：與軟錳粉同。

PYROLUSITE IN LUMP (MANGANESE DIOXIDE LUMP)

Origin: Kwangsi.

Specifications: (1) MnO_2 85% min. Fe 1.5% max.
(2) MnO_2 80% min. Fe 2% max.
(3) MnO_2 75% min. Fe 3% max.
(4) MnO_2 70% min. Fe 3.5% max.
(5) MnO_2 65% min. Fe 3.85% max.

Packing: In gunny bags of about 80 kilos net each
or in bulk.

Uses: Similiar to Pyrolusite in Powder.

硬 錳 砂

MANGANESE ORE

產地：廣西

Origin: Kwangsi.

規格：(1) 含錳50%以上。

Specifications: (1) Mn 50% min.

(2) 含錳40%以上。

(2) Mn 40% min.

(3) 含錳35%以上。

(3) Mn 35% min.

(4) 含錳30%以上。

(4) Mn 30% min.

(5) 含錳25%以上。

(5) Mn 25% min.

包裝：散裝。

Packing: In bulk.

用途：可用於鋼鐵工業煉鋼用。

Uses: Used in steel refining industries.

銻 砂

ANTIMONY ORE

產地: 廣西、雲南。

Origin: Kwangsi, Yunnan.

規格: 含銻55%以上。

Specification Sb 55% min.

包裝: 蔴袋，每袋淨重約80公斤。

Packing: In gunny bags of about 80 kilos net each.

用途: 煉銻之主要原料并可用于制造銻合金。

Uses: Principal material for antimony regulus and antimony alloy.

煉 錫

ANTIMONY REGULUS

產地：廣西。

Origin: Kwangsi.

規格：(1) 含錫99.9%以上。
(2) 含錫99.6%以上。
(3) 含錫99%以上。

Specifications: (1) Sb 99.9% min.
(2) Sb 99.6% min.
(3) Sb 99% min.

包裝：木箱裝。

Packing: In wooden cases of 100 kilos net each.

用途：可製造錫鉛合金、電池、機器軸承和
其他錫合金等。

Uses: For manufacture of antimony and lead
alloy, electric battery, ball bearings and
other antimony alloys, etc.

硫 化 銻

ANTIMONY TRISULPHIDE

產地：廣西。

Origin: Kwangsi.

規格：含銻70以上，硫27%以下。

Specification: Sb 70% min. S 27% max.

包裝：木箱裝，每箱淨重約100公斤。

Packing: In wooden cases of about 100 kilos net each.

用途：為煉銻之重要原料，精製品可供製造各種合金，亦用於製安全火柴、油漆色料和鉛筆等。

Uses: For manufacturing safety-matches, pigment of paints, and pencils.

硫化銻粉

ANTIMONY TRISULPHIDE IN POWDER

產地：廣西。

Origin: Kwangsi.

規格：含銻70%以上，硫27%以下。
200目98%通過。

Specification: Sb 70% min. S 27% max.
200 mesh, 98% through.

包裝：內布袋外草袋，每袋淨重約100公斤。

Packing: In cloth bags with outer gunny bags of
about 100 kilos net each.

用途：火柴和油漆工業的原料。

Uses: Raw material for matches and paints.

生 鐵

產地：(1) 桂林 (2) 陸川 (3) 玉林。

參考規格：(1) 含矽2.07%，硫0.03%，磷0.31%，錳微量。
(2) 矽0.43%，硫0.024%，磷1.67%，錳1.52%。
(3) 矽0.7%，硫0.024%，磷1.56%，錳1.00%。

包裝：散裝。

用途：用於製造鋼鐵及鑄造機器或機器零件。

PIG IRON

Origin: (1) Kweilin.
(2) Luchuan.
(3) Yeulean.

Specifications: (1) Si 2.07% S 0.03%
P 0.31% Mn trace
(2) Si 0.43% S 0.024%
P 1.67% Mn 1.52%
(3) Si 0.70% S 0.024%
P 1.56% Mn 1.00%
(Reference Analysis)

Packing: In bulk.

Uses: Manufacture of various steel ingots, foundry machines and parts, etc.

鈦 鐵 礦

ILMENITE

產地：廣西。

Origin: Kwangsi.

規格：(1) 含二氧化鈦50%以上。
氧化鐵42%以下。
(2) 含二氧化鈦45%以上。
氧化鐵49%以下。

Specifications: (1) TiO_2 50% min.
FeO 42% max.
(2) TiO_2 45% min.
FeO 49% max.

包裝：內布袋外麻袋裝，每袋35公斤。

Packing: In cloth bags with outer gunny bags of
about 35 kilos net each.

用途：提煉鈦及用作煉鐵爐內壁之建築材料

Uses: For refining Titanium and as building
material for inner wall of furnace.

重 晶 石

BARITE

產地：廣西。

Origin: Kwangsi.

規格：(1) 含硫酸鋇95%以上。

Specifications: (1) BaSO₄ 95% min.

(2) 含硫酸鋇97%以上。

(2) BaSO₄ 97% min.

包裝：散裝或竹篾裝。

Packing: In bulk or bamboo baskets.

用途：鑽探油井用泥漿，提煉鋇及造紙、油漆、搪瓷工業的原料。

Uses: Oil-well drilling muds; for smelting barium; fillers for paper; raw material for enamel and paint industries.

重晶石粉

BARITE IN POWDER

產地：廣西。

Origin: Kwangsi.

規格：325細目，98%通過。

Specifications: Same as barite 200, 325 mesh,

200細目，98%通過。

98% through.

成份與重晶石同。

Packing: In cloth bags of about 50 kilos net

包裝：布袋裝，每袋淨重約50公斤。

each.

用途：與重晶石同。

Uses: Same as barite.

磷 石

產地：廣西。

規格：(1) 含磷化鈣 90%以上，二氧化矽 9%以下。
(2) 含磷化鈣 85%以上，二氧化矽 14%以下。
(3) 含磷化鈣 80%以上，二氧化矽 19%以下。

包裝：草袋或蔴袋包裝。

用途：熔解鋼及金屬的溶劑，製造人造冰晶石，氫磷酸、磷化物、搪瓷及有色玻璃等之原料。

FLUORSPAR

Origin: Kwangsi.

Specifications:

- (1) CaF_2 90% min. SiO_2 9% max.
- (2) CaF_2 85% min. SiO_2 14% max.
- (3) CaF_2 80% min. SiO_2 19% max.

Packing: In straw bags or gunny bags,

Uses: Flux for smelting steel and metals; material for manufacturing artificial cryolite, hydrofluoric acid, fluorides, enamels and coloured glasses, etc.

磷 石 粉

FLUORSPAR IN POWDER

產地：廣西。

Origin: Kwangsi.

規格：含磷化鈣90%以上。

Specification: CaF_2 90% min.

80, 200 細目, 98% 通過。

80, 200 mesh, 98% through.

包裝：布袋裝, 每袋淨重約25公斤。

Packing: In cloth bags of about 25 kilos net
each.

用途：与磷石同。

Uses: Same as Fluorspar.

滑 石 塊

產地：廣西陸川。

規格：含二氧化矽 60% 以上，氧化鎂 30% 以上，三氧化二鐵 0.4% 以下。

包裝：竹簍裝，每簍淨重約 100 公斤。

用途：磨粉適用於造紙、橡膠、紡織工業的填充原料及殺蟲劑的媒介物，亦用來做高級瓷器、電氣絕緣和潤滑劑。

TALC IN LUMP

Origin: Luchuan, Kwangsi.

Specification: SiO_2 60% min. MgO 30% min.
 Fe_2O_3 0.4% max.

Packing: In bamboo baskets of about 100 kilos net each.

Uses: Fillers for paper, rubber, paint industries, and as medium of medicines and insecticides, as well as electric insulators and lubricants, etc.

滑 石 粉

TALC IN POWDER

產地：陸川。

Origin: Luchuan.

規格：200、325細目，98%通過。

Specification:

Same as talc in lump,
200 mesh, 98% through.
325 mesh, 99% through.

成份与滑石塊同。

包裝：布袋，每袋約25公斤。

Packing: In cloth bags of about 25 kilos net each.

用途：同滑石塊。

Uses: Same as talc in lump.

石 英

QUARTZ

產地：陸川。

Origin: Luchuan.

規格：含二氧化矽97%以上。

Specification: SiO₂ 97% min.

包裝：散裝或蔴袋。

Packing: In bulk or in gunny bags.

用途：可用為製造玻璃、砂紙和耐火磚的原
料，并可作為熔鉄爐之酸性溶劑。

Uses: Used for glass and porcelain manufactures
and as flux in metal smelting and refractory
bricks, etc.

石 英 粉

QUARTZ IN POWDER

產地：陸川。

Origin: Luchuan.

規格：含二氧化矽97%以上。
200細目98%通過。

Specification: SiO₂ 97% min.

Fineness: 200 mesh, 98% through.

包裝：三層牛皮紙袋裝，每件淨重約25公
斤。

Packing: In three ply craft paper bags of about

25 kilos net each.

用途：与石英同。

Uses: Same as quartz.

方 解 石

CALCITE

產地：柳州。

Origin: Liuchow,

規格：含碳酸鈣99.5%以上。

Specification: CaCO_3 99.5% min.

包裝：散裝。

Packing: In bulk.

用途：建築材料及金屬熔解劑。

Uses: Building materials and flux for metal smelting, etc.

方解石米

CALCITE IN GRAIN

產地：柳州。

Origin: Liuchow.

規格：一級 約 2 公厘。

Specifications: 1st grade: 2 mm approx.

二級 2-4 公厘。

2nd grade: 2-4 mm.

三級 3-5 公厘。

3rd grade: 3-5 mm.

包裝：草袋，每袋淨重約 50 公斤。

Packing: In straw bags of about 50 kilos net each.

用途：建築材料。

Uses: Building materials.

方解石粉

產地：柳州。

規格：含碳酸鈣99%以上。

水磨或乾磨325細目，98%通過。

包裝：3層牛皮紙袋裝，每件淨重約30公斤。

用途：填充料、化工原料、制肥田粉原料。

CALCITE IN POWDER

Origin: Liuchow.

Specification: CaCO_3 99% minimum.

Fineness: 325 mesh, 98% through.

Packing: In three ply craft paper bags of about 30 kilos net each.

Uses: Used as fillers and raw material for fertilizer and general chemicals.

石 米

STONE GRAINS

產地：廣西。

Origin: Kwangsi.

規格：黑色，雜色，淺灰色，紫紅灰，灰色
等各種石米。

Specificatoins: Black, grey, violet, and various
mixed colours.

一級 約2公厘。

Size: 1st grade: 2 mm approx.

二級 2—4公厘。

2nd grade: 2-4 mm.

三級 3—5公厘。

3rd grade: 3-5 mm.

包裝：草袋，每袋淨重約50公斤。

Packing: In straw bags of about 50 kilos net
each.

用途：建築材料。

Uses: Building materials.

水磨白石粉

產地：廣西。

規格：潔白細滑。

325細目98%通過。

包裝：三層牛皮紙袋裝，每件約淨重20公
斤。

用途：建築材料。

WHITE STONE POWDER

Origin: Kwangsi.

Specification: White, fine.

Fineness: 325 mesh, 98% through.

Packing: In three ply craft paper bags of about
20 kilos net each.

Uses: Building materials.

熟石灰粉

HYDRATED LIME POWDER

產地：平南。

Origin: Pingnan.

規格：色白，夠細、夠粘度，100 % 粉狀，
不含砂粒等雜質。

Specification: White, fine, plastic, 100% in
powder form, containing no
particles and impurities.

包裝：三層牛皮紙袋，每袋淨重約20公斤。

Packing: In 3-ply craft paper bags of about
20 kilos net each.

用途：建築材料。

Uses: Building materials.

團 灰(生石灰)

LIME IN LUMP

產地：平南。

Origin: Pingnan.

規格：色白，無雜質，塊狀佔70%以上。

Specification: White in colour, containing no impurity, lump 70% min.

包裝：竹簍，每簍約50公斤。

Packing: In bamboo baskets of about 50 kilos net each.

用途：建築材料，化工原料。

Uses: Building materials; raw material for chemicals.

?

黃色土

YELLOW MINERAL COLOURS

產地：蒼梧。

Origin: Chongwu.

規格：鮮黃粉狀，80細目(98%通過)，含二
氧化矽 71.12%，三氧化二鐵 11.95%
(參考規格)。

Specification: Yellowish fine powder, 80 mesh,
98% through. SiO_2 71.12%,
 Fe_2O_3 11.95% (For reference)

包裝：紙袋，每袋淨重約20公斤。

Packing: In paper bags of about 20 kilos net
each.

用途：油漆顏料，建築塗料，並可用於製造
黃色粉筆、化學板和地板黃等。

Uses: Pigments of paints, for colouring walls and
manufacturing yellow chalk, etc.

紅 色 土 (紅鐵氧)

產地: (1) 宜山; (2) 蒼梧。

規格: (1) 含三氧化二鐵80%以上。
(2) 含三氧化二鐵30%以上。

包裝: 紙袋, 每袋淨重約20公斤。

用途: 油漆顏料, 建築塗料, 并用於製造花
階磚、陶瓷器和玻璃等。

**RED MINERAL COLOURS
(IRON OXIDE RED)**

Origin: (1) Yeesan.
(2) Chongwu.

Specifications: (1) Fe_2O_3 80% min.
(2) Fe_2O_3 30% min.

Packing: In paper bags of about 20 kilos net
each.

Uses: Pigments of paints; building materials, and
in manufacture of pottery, enamels, glasses,
etc.

瓷 土

PORCELAIN CLAY

產地: (1) 荃梧, (2) 賓陽。

Origin: (1) Chongwu. (2) Binyang.

參考規格: (1) 含三氧化二鋁23.35%,
二氧化矽71.85%,
三氧化二鐵1.67%。

Specifications: (1) Al_2O_3 23.35%.
 SiO_2 71.85%.
 Fe_2O_3 1.67%.

(2) 含三氧化二鋁19.10%,
二氧化矽71.20%,
三氧化二鐵0.6%。

(2) Al_2O_3 19.10%.
 SiO_2 71.20%.
 Fe_2O_3 0.6%.
(For reference).

包裝: 草袋, 每袋淨重100公斤。

Packing: In straw bags of about 100 kilos net each.

用途: 陶瓷工業主要原料和橡膠、造紙、油漆工業填充料。

Uses: Principal materials for the pottery industries, as filler of rubber, paper and paints.

石 棉

ASBESTOS

產地：廣西。

Origin: Kwangsi.

規格：憑樣。

Specification: As per sample.

包裝：麻袋，每袋淨重約80公斤。

Packing: In gunny bags of about 80 kilos net each.

用途：做石棉瓦、塊、磚和隔熱水泥等用。

Uses: For manufacturing asbestos bricks, tiles, blocks and heat-insulating cement, etc.

硫 黃

SULPHUR

產地：廣西。

Origin: Kwangsi.

規格：含硫99.5%以上，砷0.1%以下，
硒0.01%以下。

Specification: S 99.5% min. As 0.1% max.
Se 0.01% max.

包裝：麻袋，每袋約淨重50公斤。

Packing: In gunny bags, approximately 50 kilos
net each.

用途：製造硫酸、硫化染料之主要原料，並
用於橡膠硬化劑、醫藥方面殺蟲劑。

Uses: Important raw material for manufacturing
sulphuric acid and sulphuric dyes; for
rubber vulcanizing; pulp bleaching and
medicines, etc.

白 雲 石

產地：柳城。

參考規格：含氧化鎂22.64%，氧化鈣30.75%，
二氧化矽0.07%。

包裝：散裝。

用途：製造耐火磚材料，製造陶器、絕緣瓷
和琺瑯的溶劑，特種石灰和水泥的配
料。

DOLOMITE

Origin: Liucheng.

Specification: MgO 22.64% CaO 30.75%
SiO₂ 0.07% (For reference)

Packing: In bulk.

Uses: Manufacture of refractories and building
materials, potteries, as insulating materials
and flux for enamel; the ingredient of a
particular kind of lime and cement.

蛭 石

VERMICULITE

產地：岑溪。

Origin: Chimsi, Kwangsi.

參考規格：含二氧化矽 47.44%，氧化鎂 14.30%，三氧化二鐵 8.48%，三氧化二鋁 21.98%。

Specification: SiO_2 47.44%, MgO 14.30%,
 Fe_2O_3 8.48%, Al_2O_3 21.98%
(For reference).

包裝：草袋，每袋淨重約 50 公斤。

Packing: In straw bags of about 50 kgs. net each.

用途：建築上絕緣隔熱和隔音材料，具有減輕建築物負荷作用。

Uses: As building material; for heat insulation and acoustic plastic wall-board, and light weight concrete.

大 理 石

產地：廣西，雲南。

規格：各種色彩和尺寸。

包裝：散裝。

用途：建築、雕刻、裝飾及碑石等材料。

MARBLE

Origin: (1) Kwangsi. (2) Yunnan.

Specifications:

In various colours and dimensions.

Packing: In bulk.

Uses: Building materials and materials for sculpture, cenotaph etc.

原 雲 母

MICA (RAW)

產地：陸川。

Origin: Luchuan.

規格：憑樣。

Specifications: As per sample.

包裝：草袋，每袋約50公斤。

Packing: In straw bags of about 50 kilos net each.

用途：用於電氣絕緣和填充料，並可用以製
防潮防腐建築材料。

Uses: Manufacture of electrical insulation parts
and fillers.

白 坭

產地：梧州。

規格：磚狀，顏色潔白。

包裝：竹筐，每筐約50公斤。

用途：陶器原料及建築材料。

WHITE CLAY

Origin: Wuchow.

Specification: In brick form, white in colour.

Packing: In bamboo baskets of about 50 kilos net each.

Uses: Raw material for potteries; and building materials.

白 蔴 石 仔

GRANITE BREAKINGS

產地: 梧州。

Origin: Wuchow.

規格: (1) 1½ 英寸。
(2) ¾ 英寸。
(3) ¾ 英寸。

Specifications: (1) 1½ inches.
(2) ¾ inches.
(3) ¾ inches.

包裝: 散裝。

Packing: In bulk.

用途: 建築材料。

Uses: Building materials.

煤

烟煤。

產地：百色。

規格：灰份16.25%，水份14.65%。
揮發物32.56%，固定炭36.54%。
硫0.93%，發熱量5110卡/克。
(參考成份)

包裝：散裝。

用途：一般鍋爐用燃料及焦煤的主要原料。

無烟煤。

產地：羅城。

規格：灰份12-17%，水份3-4%。
揮發物6-7%，固定炭72-80%，
硫3-4%，發熱量6800-7200卡/克。

包裝：散裝。

用途：工業用燃料。

COAL

Bituminous coal.

Origin: Pakshek.

Specification:

Ash 16.25%, Moisture 14.56%, Volatile matter
32.56%, Fixed carbon 36.54%, Sulphur 0.93%.
Heat value 5110 Cal. (Reference Analysis)

Packing: In bulk.

Uses: Fuel for general boilers and principal raw
material for coking coal.

Anthracite coal.

Origin: Lochang.

Specification:

Ash 12-17%, Moisture 3-4%, Volatile matter
6-7%, Fixed carbon 72-80%, Sulphur 3-4%,
Heat value 6800/7200 Cal.
(Reference Analysis)

Packing: In bulk.

Uses: Fuel for general industries.

中國礦產公司廣西分公司

地址：中國廣西南寧市濟南路104号
電報掛号“3635”南寧

CHINA NATIONAL MINERALS CORPORATION, KWANGSI BRANCH.

Address: 104 Tsinan Road, Nanning, Kwangsi, China.

Cable Address: "CNMCKB" Nanning.

梧州支公司

地址：中國廣西梧州市石鼓路45号
電報掛号“4349”梧州

WUCHOW OFFICE

Address: 45 Shihquo Road,
Wuchow, Kwangsi, China.

Cable Address: "CNMCKBWO" Wuchow.

廣州辦事處

地址：中國廣東省廣州市623路128号
電報掛号“4181”廣州

CANTON OFFICE


Address: 128, 623 Road,
Canton, Kwangtung, China.

Cable Address: "CNMCKBCO" Canton.

25X1


ELECTRICAL

Clock



TRADE MARK

DIAMOND



MADE IN CHINA

“DIAMOND” ELECTRICAL CLOCKS

The “DIAMOND” Electrical Clocks, being widely known for many years, are made of superb material with skilled technique. They possess attractive appearance and durable structure. Each clock is strictly tested before it is turned out for the market; therefore perfect precision is ensured.

Specifications of “DIAMOND” clocks: 6”, 8”, 10”, 12”,
14”, 16”.

Volts: 110/220

Cycles:  50 or 60

Packing of “DIAMOND” clocks:

Specifi- cation	Pieces	Length	Width	Height	Measure- ment m3	Gross Wt.	Tare	N. Wt.
6"	40	92 cm	53 cm	53 cm	0.258 m3	48 kg	16 kg	32.5 kg
8"	40	92	57	57.5	0.302	72	24	48
10"	32	66	74	67	0.327	63	21	42
12"	28	78	66	80	0.412	75	25	50.8
14"	20	93	53	94	0.463	72	24	48
16"	14	105	70	57.5	0.423	63	21	42

N. B. The above packing may be variable when clocks of different sizes are to be packed in one case.

中 國 雜 品 出 口 公 司

CHINA NATIONAL SUNDRIES EXPORT CORPORATION

HEAD OFFICE: 32 (A) CHIU TIAO HUTUNG, EAST CITY, PEKING, CHINA

CABLE ADDRESS: "SUNDRY" PEKING

SHANGHAI BRANCH: 128 HU CHIU ROAD, SHANGHAI, CHINA

CABLE ADDRESS: "SUNDRY" SHANGHAI

Sanitized Copy Approved for Release 2010/05/19 : CIA-RDP80T00246A054000140001-6

中 國 礦 產 公 司
青 島 分 公 司

25X1

CATALOGUE

Sanitized Copy Approved for Release 2010/05/19 : CIA-RDP80T00246A054000140001-6

**CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH**

CHINA NATIONAL MINERALS CORPORATION, TSINGTAO BRANCH is internationally engaged in the trading of Minerals, Ores and Metals, originated in China. Direct contact with mines in producing areas enables us to advantageously supply all grades and qualities of raw materials required by overseas industrial manufacturers or traders.

This catalogue indicates brief details of the general range of materials handled by us.

You are invited to write for additional information and quotations.

NO- 9 TANG YI ROAD
TSINGTAO, CHINA
CABLE ADDRESS "CNMC" TSINGTAO

中 國 礦 產 公 司 青 島 分 公 司

中国矿产公司青島分公司從事中国金屬和非金屬矿产的國際貿易，與礦产地有直接关系，凡海外制造商或進出口商所需各種矿产，均可供應。

本公司所經營之矿产，在此商品目錄內均有簡單說明。

顧客函索詳情及價目當即奉答。

中国青島市堂邑路九号

電報掛号“CNMC”青島

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

C O N T E N T S

Asbestos	Magnesite, Crude
Barytes	Magnesite, Calcined
Clay	Magnesite, Dead-burnt
Fluorspar	Carving Stones
Scrap Mica	Granite
Talc	Flake Graphite
Ballstone	Barytes Powder
Garnet	Talcum Powder
Alumina Shale, Calcined	Talcum Powder in Brick Form
Alumina Shale, Raw	Aluminium Oxide
Poshan Bauxite, Calcined	Coal
Poshan Bauxite, Raw	

中國礦產公司

青島分公司

—— 目 錄 內 容 ——

石綿	原鎂石
重晶石	輕燒鎂
粘土	重燒鎂
氟石	雕刻石
碎雲母	花崗石
滑石	鱗片石墨
球石	重晶石粉
石榴子石	滑石粉
熟礬土	滑石粉坯
生礬土	氧化鋁
博山熟焦寶石	煤
博山生焦寶石	

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Asbestos

Specifications:

- (1) Grade B: 70% length of fibre about 10mm, impurity 9% max.
- (2) Grade C: 70% length of fibre about 5mm, impurity 11% max.
- (3) Grade D: 70%-length of fibre below 3mm, impurity 13% max.

Packing:

In gunny bags.

石 棉

規 格:

- (1) B 級石棉:纖維長度約10公厘佔70%,
雜質不超過 9 %.
- (2) C 級石棉:纖維長度約 5 公厘佔70%,
雜質不超過11%.
- (3) D 級石棉: 纖維長度約 3 公厘以下佔
70%雜質不超過13%.

包 裝:

麻袋包裝.

中 國 礦 產 公 司

青 島 分 公 司

Barytes

重 晶 石

Specifications:

規 格:

- (1) BaSO_4 97% min.
- (2) BaSO_4 95% min.
- (3) BaSO_4 93% min.
- (4) BaSO_4 90% min.

- (1) 含硫酸鋇 97%以上,
- (2) 含硫酸鋇 95%以上,
- (3) 含硫酸鋇 93%以上,
- (4) 含硫酸鋇 90%以上.

Packing:

包 裝:

In bulk.

散 裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Clay

Specifications:

(1)	(2)
SiO ₂ 38.26%	SiO ₂ 68.97%
Al ₂ O ₃ 43.41%	Al ₂ O ₃ 20.11%
Fe ₂ O ₃ 1.94%	Fe ₂ O ₃ 1.37%
CaO 0.44%	
MgO 0.59%	
Ig. Loss 13.67%	

Packing:

In bulk.

粘土

規格:

(1)	(2)
二氧化矽 38.26%	二氧化矽 68.97%
三氧化二鋁 43.41%	三氧化二鋁 20.11%
三氧化二鐵 1.94%	三氧化二鐵 1.37%
氧化鈣 0.44%	
氧化鎂 0.59%	
灼燒減量 13.67%	

包裝:

散裝.

中 國 礦 產 公 司

青 島 分 公 司

Fluorspar

氟 石

Specifications:

規 格:

- (1) CaF_2 90% min.
- (2) CaF_2 85% min.
- (3) CaF_2 80% min.

- (1) 氟化鈣 90% 以上
- (2) 氟化鈣 85% 以上
- (3) 氟化鈣 80% 以上

Packing:

包 裝:

In bulk.

散 裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Scrap Mica

碎 雲 母

Specifications:

規 格:

Mines Scrap.

碎 原 礦

Packing:

包 裝:

In gunny bags.

麻 袋 包 裝.

中 國 礦 產 公 司

青 島 分 公 司

T a l c

Specifications:

SiO₂ 60% min.
MgO 30% min.
Fe₂O₃ 0.5% max.

Packing:

In straw bags or in bulk.

滑 石

規 格:

含 二 氧 化 矽 60% 以上
含 氧 化 鎂 30% 以上
含 三 氧 化 二 鐵 0.5% 以下

包 裝:

草袋裝或散裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Ballstone (*Grinding Pebbles*)

球 石 (球 磨 石)

Specifications:

規 格:

- (1) Diameter: 1—3 inches,
- (2) Diameter: Below 1 inch.

- (1) 直徑 1—3 英 吋
- (2) 直徑 1 英 吋 以 下

Packing:

包 裝:

In straw bags or in bulk.

草袋裝或散裝.

中 國 礦 產 公 司

青 島 分 公 司

G a r n e t

石 榴 子 石

Specifications :

規 格:

Andradite.

黃 榴 石

Packing :

包 裝:

In straw bags or in bulk.

草袋裝或散裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Alumina Shale, Calcined

熟 研 土

Specifications:

- (1) Al_2O_3 80% min. Fe_2O_3 3% max.
- (2) Al_2O_3 75% min. Fe_2O_3 3% max.
- (3) Al_2O_3 70% min. Fe_2O_3 3% max.

Packing:

In bulk.

規 格:

- (1) 含三氧化二鋁 80%以上,
含三氧化二鐵 3%以下,
- (2) 含三氧化二鋁 75%以上,
含三氧化二鐵 3%以下,
- (3) 含三氧化二鋁 70%以上,
含三氧化二鐵 3%以下.

包 裝:

散 裝.

中 國 礦 產 公 司

青 島 分 公 司

Alumina Shale, Raw

Specifications:

- (1) Al_2O_3 70% min. Fe_2O_3 3% max.
- (2) Al_2O_3 65% min. Fe_2O_3 3% max.
- (3) Al_2O_3 60% min. Fe_2O_3 3% max.

Packing:

In bulk.

生 矾 土

規 格:

- (1) 含三氧化二鋁 70%以上,
含三氧化二鐵 3%以下
- (2) 含三氧化二鋁 65%以上,
含三氧化二鐵 3%以下
- (3) 含三氧化二鋁 60%以上,
含三氧化二鐵 3%以下

包 裝:

散 裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Poshan Bauxite, Calcined
(Hard Clay)

熟 焦 寶 石
(硬質粘土)

Specifications:

Al_2O_3 45% min.
 Fe_2O_3 2.5% max.

規 格:

含三氧化二鋁 45%以上,
含三氧化二鐵 2.5%以下.

Packing:

In straw bags or in bulk.

包 裝:

草袋裝或散裝.

中 國 礦 產 公 司

青 島 分 公 司

Poshan Bauxite, Raw
(Hard Clay)

生 焦 寶 石
(硬質粘土)

Specifications:

Al_2O_3 38% min.

Fe_2O_3 2% max.

規 格:

含三氧化二鋁 38%以上,

含三氧化二鐵 2%以下.

Packing:

In straw bags or in bulk.

包 裝:

草袋裝或散裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Magnesite, Crude

原 鎂 石 (菱 鎂 礦)

Specification:

規 格:

MgO 44% min.

含氧化鎂 44% 以上

Packing:

包 裝:

In bulk.

散 裝.

中 國 礦 產 公 司

青 島 分 公 司

Magnesite, Calcined

輕 燒 鎂

Specifications:

規 格:

- (1) MgO 88% min.
- (2) MgO 85% min.

- (1) 含氧化鎂 88%以上,
- (2) 含氧化鎂 85%以上.

Packing:

包 裝:

In gunny or paper bags.

麻袋或紙袋包裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Magnesite, Dead-burnt

重 燒 鎂

Specifications:

規 格:

MgO 88% min.
Granulation: (1) 10 mm max.
(2) 90% composed of
10 mm min.

含氧化鎂 88% 以上,
塊粒: (1) 10^{mm} 以下,
(2) 10^{mm} 以上佔90%.

Packing:

包 裝:

In four or five layers craft-paper
bags of 50 kgs. nett each, or in
bulk.

四或五層牛皮紙袋裝, 每袋淨重50
公斤, 或散裝.

中 國 礦 產 公 司

青 島 分 公 司

Carving Stones

雕 刻 石

Specifications:

規 格:

In white, green, grey and pink
colours.

有白色、綠色，灰色和粉紅色。

Packing:

包 裝:

In straw bags.

草袋裝。

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Granite

花 崗 石

Specifications:

Raw and polished, in different
sizes and colours.

規 格:

具有各種不同大小呎吋及顏色的毛
料和磨光成品。

Packing:

With straw ropes, or in wooden
cases, or in bulk.

包 裝:

用草繩捆紮，或木箱裝或散裝。

中 國 礦 產 公 司

青 島 分 公 司

Flake Graphite

Specifications:

- (1) C 95% min. + 16 mesh,
- (2) C 94% min. + 24 mesh,
- (3) C 94% min. + 50 mesh,
- (4) C 93% min. + 80 mesh,
- (5) C 92% min. + 100 mesh.

Packing:

In three ply craft paper bags of 25 kgs. nett each with additional outer gunny bag.

鱗 片 石 墨

規 格:

- (1) + 16細目 含碳 95% 以上,
- (2) + 24細目 含碳 94% 以上,
- (3) + 50細目 含碳 94% 以上,
- (4) + 80細目 含碳 93% 以上,
- (5) + 100細目 含碳 92% 以上.

包 裝:

三層牛皮紙袋外加一層麻袋，每袋淨重 25 公斤。

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Flake Graphite

鱗片石墨

Specifications:

- (1) C 91% min. - 100 mesh,
- (2) C 91% min. - 200 mesh,
- (3) C 91% min. - 325 mesh.

規 格:

- (1) - 100細目 含碳 91% 以上,
- (2) - 200細目 含碳 91% 以上,
- (3) - 325細目 含碳 91% 以上.

Packing:

In three ply craft paper bags of
25 kgs. nett each with additional
outer gunny bag.

包 裝:

三層牛皮紙袋外加一層蘆袋, 每袋
淨重 25 公斤.

中 國 礦 產 公 司

青 島 分 公 司

Barytes Powder

Specifications:

Chemical composition see Barytes,
fineness 98% min. through 200 or
325 mesh.

Packing:

In cloth bags of 50 kgs. nett
each.

重 晶 石 粉

規 格:

細度 325 細目或 200 細目;通過率
98%以上;化學成份參看重晶石.

包 裝:

布袋包裝,每袋淨重 50 公斤.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Talcum Powder

滑 石 粉

Specifications:

Chemical composition see Talc,
fineness 98% min. through 200
or 325 mesh.

規 格:

細度 325 細目或 200 細目, 通过率
98% 以上.
化学成份參看滑石.

Packing:

In cloth bags of 25 or 40 kgs.
nett each.

包 裝:

布袋裝, 每袋淨重 25 公斤或 40 公
斤.

中 國 礦 產 公 司

青 島 分 公 司

Talcum Powder in Brick Form

滑 石 粉 坯

Specifications:

SiO₂ 60% min.
MgO 30% min.
Fe₂O₃ 0.5% max.
In different sizes.

規 格:

含二氧化矽 60%以上,
含 氧 化 鎂 30%以上,
含三氧化二鉄 0.5%以下.
有各種不同吋吋.

Packing:

In wooden cases.

包 裝:

木箱裝.

CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH

Aluminium Oxide

Specifications:

Al_2O_3 98.30% min.
 SiO_2 0.15% max.
 Fe_2O_3 0.04% max.
 Na_2O 0.60% max.
Loss on Ignition 1%.

Packing:

In 4 layer paper bags with outer
cloth bag of 40 kgs. nett each,
or in bulk.

氧 化 鋁

規 格:

三氧化二鋁 98.30% 以上,
二 氧 化 矽 0.15% 以下,
三氧化二鐵 0.04% 以下,
氧 化 鈉 0.60% 以下,
灼 燒 減 量 1%.

包 裝:

四層紙袋外加布袋,每袋淨重 40 公
斤,或散裝.

中 國 礦 產 公 司

青 島 分 公 司

C o a l

煤

Specifications:

規 格:

Coking Coal, Bituminous Coal
and Anthracite Coal.

有煉焦煤，煙煤和無煙煤。

Packing:

包 裝:

In bulk.

散 裝。

中国矿产公司青岛分公司
地址：中国青岛市堂邑路九号
电报挂号“CNMC”青岛
CHINA NATIONAL MINERALS CORPORATION
TSINGTAO BRANCH
Address: 9 Tang Yi Road, Tsingtao, China.
Cable Address "CNMC" Tsingtao.

烟台支公司
地址：中国烟台市海岸街22号
电报挂号“CNMCC”烟台
CHEFOO OFFICE
Address: 22 Hai An Chieh, Chefoo, China.
Cable Address "CNMCC" Chefoo.